


- NOTES**
- 1.) UNITS MUST BE ATTACHED TO IN-PLANT COMPRESSED AIR SUPPLY FOR CLEANING MECHANISM TO FUNCTION (90 MAX PSI@ CLEAN DRY AIR)
  - 2.) WELDED STEEL CONSTRUCTION OF 12 GA. MILD STEEL.
  - 3.) FINISH: INDUSTRIAL GRADE CRIMSON RED INSIDE & OUT.
  - 4.) DUST TRAY CAPACITY: 2.0 CUBIC FT.
  - 5.) INLET PLENUM NOT SHOWN (OPTIONAL) ADDS 22 INCHES TO HEIGHT.
- SPECIFICATIONS**
- TOTAL VALVES: 2  
 TOTAL CARTRIDGES: 4  
 COMPRESSED AIR 1.0 SCF @90psi per sec.

<b>TITLE</b>	LOW PROFILE OPTION FOR RP 4	<b>TOLERANCES UNLESS 3 DEC. PLACES</b>	<b>METAL FAB</b>
<b>DMC NO:</b>	L1576	<b>SCALE</b>	1" = 1'-0"
<b>DATE</b>	2-23-97	<b>DRG. BY</b>	JD
<b>CHKD. BY</b>	DMC	<b>DATE</b>	11
<b>REV.</b>	1	<b>SH. 1 OF 3</b>	




- NOTES**
- 1.) UNITS MUST BE ATTACHED TO IN-PLANT COMPRESSED AIR SUPPLY FOR CLEANING MECHANISM TO FUNCTION (90 MAX PSI CLEAN DRY AIR)
  - 2.) WELDED STEEL CONSTRUCTION OF 12 GA. MILD STEEL.
  - 3.) FINISH: INDUSTRIAL GRADE CRIMSON RED INSIDE & OUT.
  - 4.) DUST TRAY CAPACITY: 2.0 CUBIC FT.
  - 5.) INLET PLENUM NOT SHOWN (OPTIONAL) ADDS 22" TO HEIGHT.

**SPECIFICATIONS**  
 TOTAL VALVES, 3  
 TOTAL CARTRIDGES, 6  
 COMPRESSED AIR 1.0 SCF @ 90PSI PER SEC

<b>TITLE</b>		<b>TOLERANCES UNLESS NOTED</b>	
LOW PROFILE OPTION FOR RP6		3 DEC. PLACES	
DMC NO: 1576		SCALE: 1/2" = 1'-0"	
DATE: 2-23-97	CHG. BY: JG	DATE: 11	SH. 2 OF 3
DRW. BY: MC		NTS	





- NOTES**
- 1.) UNITS MUST BE ATTACHED TO IN-PLANT COMPRESSED AIR SUPPLY FOR CLEANING MECHANISM TO FUNCTION (90 MAX PSIG CLEAN DRY AIR)
  - 2.) WELDED STEEL CONSTRUCTION OF 12 GA. MILD STEEL.
  - 3.) FINISH: INDUSTRIAL GRADE CRIMSON RED INSIDE & OUT.
  - 4.) DUST TRAY CAPACITY: 2.0 CUBIC FT.
  - 5.) INLET PLENUM NOT SHOWN (OPTIONAL) ADDS 22" TO HEIGHT.
- SPECIFICATIONS**
- TOTAL VALVES: 4
  - TOTAL CARTRIDGES: 8
  - COMPRESSED AIR: 1.0 SCF @90 PSI PER SEC.

<b>TITLE</b>		<b>TOLERANCES UNLESS NOTED</b>	
LOW PROFILE OPTION FOR RP8		3 DEC. PLACES	
DMC NO: 1576	DATE: 2-23-97	SCALE: 1/8" = 1"	UNITS: INCHES
REV: 1	CHG: 3/11/97	BY: JG	CHK: JG